GnisisSafePersonalEdition::constructor

		STACK[0]	STACK[1]			
Constructor						
mstore(0x40, 0x80)	[0x40]=0x80					
callvalue		msg.value				
dup1		msg.value	msg.value			
iszero		msg.value==0	msg.value			
tag_1		tag_1	msg.value==0	msg.value		
jumpi		msg.value				
0x0		0	msg.value			
dup1		0	0	msg.value		
revert						
tag_1:		msg.value				
pop						
dataSize(sub_0)		Size of code				
dup1		Size of code	Size of code			
dataOffset(sub_0)		Offset of code	Size of code	Size of code		
0x0		0	Offset of code	Size of code	Size of code	
codecopy	[0:size of code] = code	Size of code				
0x0		0	Size of code			
return						
stop						

GnosisSafePersonalEdition::setup (optimized)

		STACK[0]	STACK[1]	STACK[2]	STACK[3]	STACK[4]	STACK[5]	STACK[6]	STACK[7]	STACK[8]	STACK[9]	STACK[10]	STACK[11]					
tag_8:																		
callvalue		Call value																
dup1		Call value	Call value															
iszero		Call value == 0	Call value															
tag_38		tag_38	Call value == 0	Call value														
jumpi		Call value																
0x0		0	Call value															
dup1		0	0	Call value														
revert																		
tag_38:		Call value																
pop																		
0x40		64																
dup1		64	64															
mload		memory_free_ptr	64															
0x20		32	memory_free_ptr	64														
0x4		4	32	memory_free_ptr	64													
dup1		4	4	32	memory_free_ptr	64												
calldataload		_owners.offset	4	32	memory_free_ptr	64												
dup1		_owners.offset	_owners.offset	4	32	memory_free_ptr	64											
dup3		4	_owners.offset	_owners.offset	4	32	memory_free_ptr	64										
add		_owners.offset+4	_owners.offset	4	32	memory_free_ptr	64											
calldataload		_owners.length	_owners.offset	4	32	memory_free_ptr	64											
dup4		32	_owners.length	_owners.offset	4	32	memory_free_ptr	64										
dup2		_owners.length	32	_owners.length	_owners.offset	4	32	memory_free_ptr	64									
mul		32*_owners.length	_owners.length	_owners.offset	4	32	memory_free_ptr	64										
dup1		32*_owners.length	32*_owners.length	_owners.length	_owners.offset	4	32	memory_free_ptr	64									
dup7		memory_free_ptr	32*_owners.length	32*_owners.length	_owners.length	_owners.offset	4	32	memory_free_ptr	64								
add		memory_free_ptr+ 32*_owners.length	32*_owners.length	_owners.length	_owners.offset	4	32	memory_free_ptr	64									
dup6		32	memory_free_ptr+ 32*_owners.length	32*_owners.length	_owners.length	_owners.offset	4	32	memory_free_ptr	64								
add		32+ memory_free_ptr+ 32*_owners.length	32*_owners.length	_owners.length	_owners.offset	4	32	memory_free_ptr	64									
swap1		32*_owners.length	32+ memory_free_ptr+ 32*_owners.length	_owners.length	_owners.offset	4	32	memory_free_ptr	64									
swap7		64	32+ memory_free_ptr+ 32*_owners.length	_owners.length	_owners.offset	4	32	memory_free_ptr	32*_owners.length									
mstore	memory_free_ptr += 32 + 32*_owners_length	_owners.length	_owners.offset	4	32	_owners_in_mem_ptr	32*_owners.length											
dup1		_owners.length	_owners.length	_owners.offset	4	32	_owners_in_mem_ptr	32*_owners.length										
dup6		_owners_in_mem_ptr	_owners.length	_owners.length	_owners.offset	4	32	_owners_in_mem_ptr	32*_owners.length									
mstore	[_owners_in_mem_ptr]=_owners.length	_owners.length	_owners.offset	4	32	owner_in_mem	32*_owners.length											
tag_1		tag_1	_owners.length	_owners.offset	4	32	_owners_in_mem_ptr	32*_owners.length										
swap6		32*_owners.length	_owners.length	_owners.offset	4	32	_owners_in_mem_ptr	tag_1										
calldatasize		Call data size	32*_owners.length	_owners.length	_owners.offset	4	32	_owners_in_mem_ptr	tag_1									
swap6		_owners_in_mem_ptr	32*_owners.length	_owners.length	_owners.offset	4	32	Call data size	tag_1									
swap4		4	32*_owners.length	_owners.length	_owners.offset	_owners_in_mem_ptr	32	Call data size	tag_1									
swap5		32	32*_owners.length	_owners.length	_owners.offset	_owners_in_mem_ptr	4	Call data size	tag_1									
0x24		36	32	32*_owners.length	_owners.length	_owners.offset	_owners_in_mem_ptr	4	Call data size	tag_1								
swap5		memory_free_ptr	32	32*_owners.length	_owners.length	_owners.offset	36	4	Call data size	tag_1								
swap4		_owners.offset	32	32*_owners.length	_owners.length	memory_free_ptr	36	4	Call data size	tag_1								
dup6		36	_owners.offset	32	32*_owners.length	_owners.length	_owners_in_mem_ptr	68	4	Call data size	tag_1							
add		&_owners = &_owners	32	32*_owners.length	_owners.length	_owners_in_mem_ptr	36	4	Call data size	tag_1								
swap3		_owners.length	32	32*_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1								
swap2		32*_owners.length	32	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1								
dup3		_owners.length	32*_owners.length	32	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1							
swap2		32	32*_owners.length	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1							
dup6		_owners_in_mem_ptr	32	32*_owners.length	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1						
add		_owners_in_mem_ptr +32	32*_owners.length	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1							
swap1		32*_owners.length	memory_free_ptr +32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1							
dup5		&_owners	32*_owners.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1						
swap1		32*_owners.length	&_owners	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1						
dup1		32*_owners.length	32*_owners.length	&_owners	_owners_in_mem_ptr +32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1					
dup3		&_owners	32*_owners.length	32*_owners.length	&_owners	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1				
dup5		_owners_in_mem_ptr +32	&_owners	32*_owners.length	32*_owners.length	&_owners	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1			
calldatacopy	[_owners_in_mem_ptr:] = _owners	32*_owners.length	&_owners	memory_free_ptr +32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1						
pop		&_owners	_owners_in_mem_ptr +32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1							
pop		_owners_in_mem_ptr +32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1								
0x40		64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1							
dup1		64	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1						
mload		memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1						
0x20		32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1					
dup9		36	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1				
dup4		64	36	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1			
add		100	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1				
calldataload		data.offset	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1				
dup11		4	data.offset	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1			
add		data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1				
dup1		data.offset+4	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1			
calldataload		data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1			
0x1f		31	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1		
dup2		data.length	31	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1	
add		31+data.length	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1		
dup4		32	31+data.length	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1	
swap1		31+data.length	32	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1	
div		whole 32-byte words in data	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1		
dup4		32	whole 32-byte words in data	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1	
mul		32*(whole 32-byte words in data)	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1		
dup5		memory_free_ptr (after _owners)	32*(whole 32-byte words in data)	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1	
add		memory_free_ptr (after _owners) + data.length padded to 32 bytes	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1		
dup4		32	memory_free_ptr (after _owners) + data.length padded to 32 bytes	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1	
add		32+memory_free_ptr (after _owners) + data.length padded to 32 bytes	data.length	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1		
swap1		data.length	32+memory_free_ptr (after _owners) + data.length padded to 32 bytes	data.offset+4	32	memory_free_ptr (after _owners)	64	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1		
swap5		64	32+memory_free_ptr (after _owners) + data.length padded to 32 bytes	data.offset+4	32	memory_free_ptr (after _owners)	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1		
mstore	memory_free_ptr += 32 + data.length padded to 32 bytes	data.offset+4	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1				
dup4		data.length	data.offset+4	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1			
dup4		data_in_mem_ptr	data.length	data.offset+4	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1		
mstore	[data_in_mem_ptr] = data.length	data.offset+4	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	_owners_in_mem_ptr	36	4	Call data size	tag_1				
swap8		_owners_in_mem_ptr	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	4	Call data size	tag_1				
swap11		Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	4	_owners_in_mem_ptr	tag_1				
dup10		36	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	4	_owners_in_mem_ptr	tag_1			
calldataload		_threshold	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	4	_owners_in_mem_ptr	tag_1			
0xff		255	_threshold	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	4	_owners_in_mem_ptr	tag_1		
and		_threshold	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	4	_owners_in_mem_ptr	tag_1			
swap11		4	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	_threshold	_owners_in_mem_ptr	tag_1			
dup11		36	4	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	_threshold	_owners_in_mem_ptr	tag_1		
dup4		32	36	4	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	_threshold	_owners_in_mem_ptr	tag_1	
add		68	4	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	_threshold	_owners_in_mem_ptr	tag_1		
calldataload		to	4	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	_threshold	_owners_in_mem_ptr	tag_1		
sub(exp(0x2, 0xa0), 0x1)		2^160-1	to	4	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	_threshold	_owners_in_mem_ptr	tag_1	
and		to	4	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	36	_threshold	_owners_in_mem_ptr	tag_1		
swap11		36	4	Call data size	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	to	_threshold	_owners_in_mem_ptr	tag_1		
swap2		Call data size	4	36	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	data.offset+4	to	_threshold	_owners_in_mem_ptr	tag_1		
swap10		data.offset+4	4	36	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1		
swap1		4	data.offset+4	36	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	&_owners	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1		
swap9		&_owners	data.offset+4	36	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1		
pop		data.offset+4	36	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1			
0x60		96	data.offset+4	36	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1		
swap1		data.offset+4	96	36	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1		
swap2		36	96	data.offset+4	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1		
add		102	data.offset+4	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	_owners.length	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1			
swap7		_owners.length	data.offset+4	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1			
pop		data.offset+4	32	data_in_mem_ptr	data.length	_owners_in_mem_ptr+32	_owners.length	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1				
swap2		data_in_mem_ptr	32	data.offset+4	data.length	_owners_in_mem_ptr+32	_owners.length	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1				
swap5		_owners.length	32	data.offset+4	data.length	_owners_in_mem_ptr+32	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1				
pop		32	data.offset+4	data.length	_owners_in_mem_ptr+32	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1					
swap1		data.offset+4	32	data.length	_owners_in_mem_ptr+32	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1					
dup2		32	data.offset+4	32	data.length	_owners_in_mem_ptr+32	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1				
add		&data	32	data.length	_owners_in_mem_ptr+32	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1					
swap3		_owners_in_mem_ptr+32	32	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1					
pop		32	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1						
dup2		data.length	32	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1					
swap1		32	data.length	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1					
dup5		data_in_mem_ptr	32	data.length	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1				
add		data_in_mem_ptr +32	data.length	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1					
dup4		&data	data_in_mem_ptr +32	data.length	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1				
dup3		data.length	&data	data_in_mem_ptr +32	data.length	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1			
dup1		data.length	data.length	&data	data_in_mem_ptr +32	data.length	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1		
dup3		&data	data.length	data.length	&data	data_in_mem_ptr +32	data.length	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1	
dup5		data_in_mem_ptr +32	&data	data.length	data.length	&data	data_in_mem_ptr +32	data.length	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1
calldatacopy	[data_in_mem_ptr:] = data	data.length	&data	data_in_mem_ptr +32	data.length	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1			
pop		&data	data_in_mem_ptr +32	data.length	data.length	&data	data_in_mem_ptr	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1				
swap5		data_in_mem_ptr	data_in_mem_ptr +32	data.length	data.length	&data	&data	102	4	Call data size	to	_threshold	_owners_in_mem_ptr	tag_1				
swap8		Call data size	data_in_mem_ptr +32	data.length	data.length	&data	&data	102	4	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1				
pop		data_in_mem_ptr +32	data.length	data.length	&data	&data	102	4	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1					
tag_40		tag_40	data_in_mem_ptr +32	data.length	data.length	&data	&data	102	4	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1				
swap7		data_in_mem_ptr	data_in_mem_ptr +32	data.length	data.length	&data	&data	102	tag_40	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1				
pop		data_in_mem_ptr +32	data.length	data.length	&data	&data	102	tag_40	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1					
pop		data.length	data.length	&data	&data	102	tag_40	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1						
pop		data.length	&data	&data	102	tag_40	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1							
pop		&data	&data	102	tag_40	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1								
pop		&data	102	tag_40	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1									
pop		102	tag_40	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1										
pop		tag_40	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1											
jump		data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1												
tag_40:		data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1												
tag_101		tag_101	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1											
dup5		_owners_in_mem_ptr	tag_101	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1										
dup5		_threshold	_owners_in_mem_ptr	tag_101	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1									
tag_102		tag_102	_threshold	_owners_in_mem_ptr	tag_101	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1								
jump (setup_owners)		_threshold	_owners_in_mem_ptr	tag_101	data_in_mem_ptr	to	_threshold	_owners_in_mem_ptr	tag_1									
tag_101: (returned from setup_owners)																		
tag_103																		
dup3																		
dup3																		
tag_104																		
jump (setupModules)																		
tag_103:																		
pop																		
pop																		
pop																		
pop																		
jump // out																		
tag_102 : (setup_owners)																		
sload(0x3)																		
0x0																		
swap1																		
dup2																		
swap1																		
dup2																		
swap1																		
0xff																		
and																		
iszero																		
tag_158																		
jumpi																		
0x0																		
dup1																		
revert																		
tag_158:																		
dup5																		
mload																		
0xff																		
dup6																		
and																		
gt																		
iszero																		
tag_159																		
jumpi																		
0x0																		
dup1																		
revert																		
tag_159:																		
0x1																		
0xff																		
dup6																		
and																		
lt																		
iszero																		
tag_160																		
jumpi																		
0x0																		
dup1																		
revert																		
tag_160:																		
/* "contracts/OwnerManager.sol":338:341 0x1 */																		
0x1																		
/* "contracts/OwnerManager.sol":1133:1171 address currentOwner = SENTINEL__owners */																		
swap3																		
pop																		
/* "contracts/OwnerManager.sol":1198:1199 0 */																		
0x0																		
/* "contracts/OwnerManager.sol":1186:1199 uint256 i = 0 */																		
swap2																		
pop																		
/* "contracts/OwnerManager.sol":1181:1544 for (uint256 i = 0	i < __owners.length	i++) {... */																	
tag_161:																		
/* "contracts/OwnerManager.sol":1205:1212 __owners */																		
dup5																		
/* "contracts/OwnerManager.sol":1205:1219 __owners.length */																		
mload																		
/* "contracts/OwnerManager.sol":1201:1202 i */																		
dup3																		
/* "contracts/OwnerManager.sol":1201:1219 i < __owners.length */																		
lt																		
/* "contracts/OwnerManager.sol":1181:1544 for (uint256 i = 0	i < __owners.length	i++) {... */																	
iszero																		
tag_162																		
jumpi																		
/* "contracts/OwnerManager.sol":1301:1308 __owners */																		
dup5																		
/* "contracts/OwnerManager.sol":1309:1310 i */																		
dup3																		
/* "contracts/OwnerManager.sol":1301:1311 __owners[i] */																		
dup2																		
mload																		
dup2																		
lt																		
iszero																		
iszero																		
tag_164																		
jumpi																		
invalid																		
tag_164:																		

GnosisSafePersonalEdition::setup(unoptimized)

	MEMORY, STORAGE	STACK[0]	STACK[1]	STACK[2]	STACK[3]	STACK[4]	STACK[5]	STACK[6]	STACK[7]	STACK[8]										
tag_8:																				
callvalue		Call Value
dup1		Call Value	Call Value
iszero		Call Value == 0	Call Value
tag_38		tag_38	Call Value == 0	Call Value
jumpi		Call Value
0x0		0	Call Value
dup1		0	0	Call Value
revert		
tag_38:		Call Value
pop		
tag_39		tag_39
0x4		4	tag_39
dup1		4	4	tag_39
calldatasize		Call Data Size	4	4	tag_39
sub		Call Data Size - 4	4	tag_39
dup2		4	Call Data Size - 4	4	tag_39
add		Call Data Size	4	tag_39
swap1		4	Call Data Size	tag_39
dup1		4	4	Call Data Size	tag_39
dup1		4	4	4	Call Data Size	tag_39
calldataload		_owners.offset	4	4	Call Data Size	tag_39
swap1		4	_owners.offset	4	Call Data Size	tag_39
0x20		32	4	_owners.offset	4	Call Data Size	tag_39
add		36	_owners.offset	4	Call Data Size	tag_39
swap1		_owners.offset	36	4	Call Data Size	tag_39
dup3		4	_owners.offset	36	4	Call Data Size	tag_39
add		_owners.offset+4	36	4	Call Data Size	tag_39
dup1		_owners.offset+4	_owners.offset+4	36	4	Call Data Size	tag_39
calldataload		_owners.length	_owners.offset+4	36	4	Call Data Size	tag_39
swap1		_owners.offset+4	_owners.length	36	4	Call Data Size	tag_39
0x20		32	_owners.offset+4	_owners.length	36	4	Call Data Size	tag_39
add		_owners.offset+36 == &_owners	_owners.length	36	4	Call Data Size	tag_39
swap1		_owners.length	&_owners	36	4	Call Data Size	tag_39
dup1		_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
dup1		_owners.length	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
0x20		32	_owners.length	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
mul		32*_owners.length	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
0x20		32	32*_owners.length	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
add		32+32*_owners.length	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
mload(0x40)		free_mem_ptr	32+32*_owners.length	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
swap1		32+32*_owners.length	free_mem_ptr	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
dup2		free_mem_ptr	32+32*_owners.length	free_mem_ptr	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
add		mem_ptr_beyond__owners	free_mem_ptr	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
0x40		64	mem_ptr_beyond__owners	free_mem_ptr	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
mstore	[64]=mem_ptr_beyond__owners	_owners_mem_ptr	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
dup1		_owners_mem_ptr	_owners_mem_ptr	_owners.length	_owners.length	&_owners	36	4	Call Data Size	tag_39
swap4		&_owners	_owners_mem_ptr	_owners.length	_owners.length	_owners_mem_ptr	36	4	Call Data Size	tag_39
swap3		_owners.length	_owners_mem_ptr	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
swap2		_owners.length	_owners_mem_ptr	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
swap1		_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
dup2		_owners.length	_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
dup2		_owners_mem_ptr	_owners.length	_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
mstore	[_owners_mem_ptr] = _owners.length	_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
0x20		32	_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
add		32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
dup4		&_owners	32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
dup4		_owners.length	&_owners	32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
0x20		32	_owners.length	&_owners	32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
mul		32*_owners.length	&_owners	32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
dup1		32*_owners.length	32*_owners.length	&_owners	32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
dup3		&_owners	32*_owners.length	32*_owners.length	&_owners	32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
dup5		32+_owners_mem_ptr	&_owners	32*_owners.length	32*_owners.length	&_owners	32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
calldatacopy	[_owners_mem_ptr] = _owners	32*_owners.length	&_owners	32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
dup3		32+_owners_mem_ptr	32*_owners.length	&_owners	32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
add		mem_ptr_beyond__owners	&_owners	32+_owners_mem_ptr	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
swap2		32+_owners_mem_ptr	&_owners	mem_ptr_beyond__owners	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
pop		&_owners	mem_ptr_beyond__owners	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
pop		mem_ptr_beyond__owners	_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
pop		_owners.length	_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
pop		_owners.length	&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
pop		&_owners	_owners_mem_ptr	36	4	Call Data Size	tag_39
pop		_owners_mem_ptr	36	4	Call Data Size	tag_39
swap2		4	36	_owners_mem_ptr	Call Data Size	tag_39
swap3		Call Data Size	36	_owners_mem_ptr	4	tag_39
swap2		_owners_mem_ptr	36	Call Data Size	4	tag_39
swap3		4	36	Call Data Size	_owners_mem_ptr	tag_39
swap1		36	4	Call Data Size	_owners_mem_ptr	tag_39
dup1		36	36	4	Call Data Size	_owners_mem_ptr	tag_39
calldataload		_threshold	36	4	Call Data Size	_owners_mem_ptr	tag_39
0xff		255	_threshold	36	4	Call Data Size	_owners_mem_ptr	tag_39
and		_threshold	36	4	Call Data Size	_owners_mem_ptr	tag_39
swap1		36	_threshold	4	Call Data Size	_owners_mem_ptr	tag_39
0x20		32	36	_threshold	4	Call Data Size	_owners_mem_ptr	tag_39
add		68	_threshold	4	Call Data Size	_owners_mem_ptr	tag_39
swap1		_threshold	68	4	Call Data Size	_owners_mem_ptr	tag_39
swap3		Call Data Size	68	4	_threshold	_owners_mem_ptr	tag_39
swap2		4	68	Call Data Size	_threshold	_owners_mem_ptr	tag_39
swap1		68	4	Call Data Size	_threshold	_owners_mem_ptr	tag_39
dup1		68	68	4	Call Data Size	_threshold	_owners_mem_ptr	tag_39
calldataload		to	68	4	Call Data Size	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	to	68	4	Call Data Size	_threshold	_owners_mem_ptr	tag_39
and		to	68	4	Call Data Size	_threshold	_owners_mem_ptr	tag_39
swap1		68	to	4	Call Data Size	_threshold	_owners_mem_ptr	tag_39
0x20		32	68	to	4	Call Data Size	_threshold	_owners_mem_ptr	tag_39
add		100	to	4	Call Data Size	_threshold	_owners_mem_ptr	tag_39
swap1		to	100	4	Call Data Size	_threshold	_owners_mem_ptr	tag_39
swap3		Call Data Size	100	4	to	_threshold	_owners_mem_ptr	tag_39
swap2		4	100	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap1		100	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup1		100	100	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
calldataload		data.offset	100	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap1		100	data.offset	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	100	data.offset	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
add		132	data.offset	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap1		data.offset	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup3		4	data.offset	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
add		data.offset+4	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup1		data.offset+4	data.offset+4	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
calldataload		data.length	data.offset+4	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap1		data.offset+4	data.length	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	data.offset+4	data.length	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
add		&data	data.length	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap1		data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup1		data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup1		data.length	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
0x1f		31	data.length	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
add		data.length+31	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	data.length+31	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup1		32	32	data.length+31	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap2		data.length+31	32	32	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
div		whole 32-byte words in data	32	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
mul		Sizeof(data) padded to 32 bytes	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	Sizeof(data) padded to 32 bytes	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
add		Sizeof(data) padded to 32 bytes with length	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
mload(0x40)		mem_ptr_beyond__owners	Sizeof(data) padded to 32 bytes with length	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap1		Sizeof(data) padded to 32 bytes with length	mem_ptr_beyond__owners	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup2		mem_ptr_beyond__owners	Sizeof(data) padded to 32 bytes with length	mem_ptr_beyond__owners	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
add		mem_ptr_beyond_data	mem_ptr_beyond__owners	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
0x40		64	mem_ptr_beyond_data	mem_ptr_beyond__owners	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
mstore	[64]=mem_ptr_beyond_data	mem_ptr_beyond__owners == mem_ptr_data	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup1		mem_ptr_data	mem_ptr_data	data.length	data.length	&data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap4		&data	mem_ptr_data	data.length	data.length	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap3		data.length	mem_ptr_data	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap2		data.length	mem_ptr_data	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap1		mem_ptr_data	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup2		data.length	mem_ptr_data	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup2		mem_ptr_data	data.length	mem_ptr_data	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
mstore	[mem_ptr_data]=data.length	mem_ptr_data	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	mem_ptr_data	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
add		mem_ptr_data+32	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup4		&data	mem_ptr_data+32	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup4		data.length	&data	mem_ptr_data+32	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup1		data.length	data.length	&data	mem_ptr_data+32	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup3		&data	data.length	data.length	&data	mem_ptr_data+32	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup5		mem_ptr_data+32	&data	data.length	data.length	&data	mem_ptr_data+32	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
calldatacopy	[mem_ptr_data+32]=data	data.length	&data	mem_ptr_data+32	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
dup3		mem_ptr_data+32	data.length	&data	mem_ptr_data+32	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
add		mem_ptr_data+32+data.length	&data	mem_ptr_data+32	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap2		mem_ptr_data+32	&data	mem_ptr_data+32+data.length	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
pop		&data	mem_ptr_data+32+data.length	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
pop		mem_ptr_data+32+data.length	data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
pop		data.length	data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
pop		data.length	&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
pop		&data	mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
pop		mem_ptr_data	132	4	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap2		4	132	mem_ptr_data	Call Data Size	to	_threshold	_owners_mem_ptr	tag_39
swap3		Call Data Size	132	mem_ptr_data	4	to	_threshold	_owners_mem_ptr	tag_39
swap2		mem_ptr_data	132	Call Data Size	4	to	_threshold	_owners_mem_ptr	tag_39
swap3		4	132	Call Data Size	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		132	4	Call Data Size	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		4	Call Data Size	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		Call Data Size	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jump(tag_40)		mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_40: (setup_owners)		mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_101		tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup5		_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup5		_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_102		tag_102	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jump // in setup_owners()		_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_101: (return from setup_owners)		mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_103		tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup3		to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup3		mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_104		tag_104	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jump // in (setupModules)		mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_103: (return from setup_Modules)		mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		to	_threshold	_owners_mem_ptr	tag_39
pop		_threshold	_owners_mem_ptr	tag_39
pop		_owners_mem_ptr	tag_39
pop		tag_39
jump // out		
tag_102: (setup_owners)		_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x3 (_threshold)		3	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	3	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		3	0	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sload		threshold	0	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		0	threshold	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x100		256	0	threshold	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
exp		256^0 == 1	threshold	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		threshold	1	0		0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
div		threshold	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xff		255	threshold	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		threshold	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xff		255	threshold	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		threshold	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
eq		threshold==0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		threshold!=0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		threshold==0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_158		tag_158	threshold==0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
revert		
tag_158:		0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup5		_owners_mem_ptr	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mload		_owners.length	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup5		_threshold	_owners.length	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xff		255	_threshold	_owners.length	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		_threshold	_owners.length	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
gt		_threshold > _owners.length	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		_threshold <= _owners.length	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		_threshold > _owners.length	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		_threshold <= _owners.length	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_159		tag_159	_threshold <= _owners.length	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
revert		
tag_159:		0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x1		1	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup5		_threshold	1	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xff		255	_threshold	1	0	owner	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		_threshold	1	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
lt		_threshold<1	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		_threshold>=1	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		_threshold<1	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		_threshold>=1	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_160		tag_160	_threshold>=1	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
revert		
tag_160:		0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x1		currentOwner == SENTINEL_OWNERS	0	0	0	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap3		0	0	0	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		0	0	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		i=0	0	0	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap2		0	0	i=0	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_161: (loop begins)		0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup5		_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mload		_owners.length	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup3		i	_owners.length	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
lt		i<_owners.length	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		i>=_owners.length	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_162		tag_162	i>=_owners.length	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup5		_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup3		i	_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		_owners_mem_ptr	i	_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mload		_owners.length	i	_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		i	_owners.length	i	_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
lt		i<_owners.length	i	_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		i>=_owners.length	i	_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		i<_owners.length	i	_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_164		tag_164	i<_owners.length	i	_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		i	_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
invalid		
tag_164:		i	_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		_owners_mem_ptr	i	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	_owners_mem_ptr	i	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		&_owners	i	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		i	&_owners	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	i	&_owners	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mul		32*i	&_owners	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		&_owners[i]	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mload		_owners[i]	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		_owners[i]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	_owners[i]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		_owners[i]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
eq		_owners[i]==0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		_owners[i]!=0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		_owners[i]!=0	_owners[i]!=0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		_owners[i]==0	_owners[i]!=0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_165		tag_165	_owners[i]==0	_owners[i]!=0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		_owners[i]!=0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x1		1 == SENTINEL_OWNERS	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	SENTINEL_OWNERS	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		SENTINEL_OWNERS	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		_owners[i]	SENTINEL_OWNERS	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	_owners[i]	SENTINEL_OWNERS	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		_owners[i]	SENTINEL_OWNERS	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
eq		_owners[i]== SENTINEL_OWNERS	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		_owners[i]!= SENTINEL_OWNERS	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_165:		_owners[i]!=0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_165: (2nd branch)		_owners[i]!= SENTINEL_OWNERS	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		*	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		*	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_166		tag_166	*	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
revert		
tag_166:		_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x1		1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup4		_owners[i]	0	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	_owners[i]	0	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		_owners[i]	0	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	_owners[i]	0	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		_owners[i]	0	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		0	_owners[i]	0	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mstore	[0]=_owners[i]	0	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	0	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		32	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		1	32	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		32	1	32	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mstore	[32]=1 (owners)	32	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	32	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		64	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	64	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
keccak256		SHA3(_owners[i],1) == &owners[_owners[i]]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	&owners[_owners[i]]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		&owners[_owners[i]]	0	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sload		owners[_owners[i]]	0	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		0	owners[_owners[i]]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x100		256	0	owners[_owners[i]]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
exp		256^0 == 1	owners[_owners[i]]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		owners[_owners[i]]	1	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
div		owners[_owners[i]]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	owners[_owners[i]]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		owners[_owners[i]]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	owners[_owners[i]]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		owners[_owners[i]]	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
eq		owners[_owners[i]] ==0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		owners[_owners[i]] ! =0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		owners[_owners[i]] ==0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_167		tag_167	owners[_owners[i]] ==0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
revert		
tag_167:		_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x1		1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup6		currentOwner	0	1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	0	1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		currentOwner	0	1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	0	1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		currentOwner	0	1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		0	currentOwner	0	1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mstore	[0]=currentOwner	0	1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	0	1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		32	1	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		1	32	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		32	1	32	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mstore	[32]=1 (owners)	32	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	32	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		64	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	64	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
keccak256		SHA3(currentOwner, 1) == &owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x100		256	0	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
exp		256^0 == 1	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		&owners[currentOwner]	1	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sload		owners[currentOwner]	1	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		1	owners[currentOwner]	1	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	1	owners[currentOwner]	1	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mul		2^160-1	owners[currentOwner]	1	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
not		not(2^160-1)	owners[currentOwner]	1	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		0	1	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		1	0	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup4		_owners[i]	1	0	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	_owners[i]	1	0	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		_owners[i]	1	0	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mul		_owners[i]	0	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
or		_owners[i]	&owners[currentOwner]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		&owners[currentOwner]	_owners[i]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sstore	owners[currentOwner]=_owners[i]	_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		_owners[i]	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap3		Old currentOwner	_owners[i]	i	currentOwner=_owners[i]	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		i	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		i	i	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x1		1	i	i	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		i+1	i	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap3		Old i	Old i	_owners[i]	i = i+1	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		Old I	_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jump(tag_161)		_owners[i]	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_162: (loop ends)		0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x1		1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup6		currentOwner	0	1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	0	1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		currentOwner	0	1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	0	1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		currentOwner	0	1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		0	currentOwner	0	1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mstore	[0]=currentOwner	0	1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	0	1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		32	1	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		1	32	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		32	1	32	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mstore	[32]=1 (owners)	32	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	32	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		64	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	64	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
keccak256		SHA3(currentOwner, 1) == &owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x100		256	0	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
exp		256^0 == 1	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		&owners[currentOwner]	1	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sload		owners[currentOwner]	1	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		1	owners[currentOwner]	1	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	1	owners[currentOwner]	1	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mul		2^160-1	owners[currentOwner]	1	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
not		not(2^160-1)	owners[currentOwner]	1	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		0	1	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		1	0	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup4		1	1	0	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	1	1	0	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		1	1	0	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mul		1	0	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
or		1==SENTINEL_OWNERS	&owners[currentOwner]	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		&owners[currentOwner]	SENTINEL_OWNERS	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sstore	owners[currentOwner]=SENTINEL_OWNERS	1	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup5		_owners_mem_ptr	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mload		_owners.length	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x2		2	_owners.length	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		_owners.length	2	_owners.length	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		2 (ownerCount)	_owners.length	_owners.length	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sstore	ownerCount = _owners.length	_owners.length	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup4		_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x3		3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x100		256	0	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
exp		256^0 == 1	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		3 (threshold)	1	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sload		threshold	1	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		1	threshold	1	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xff		255	1	threshold	1	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mul		255	threshold	1	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
not		not(255)	threshold	1	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		0	1	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		1	0	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup4		_threshold	1	0	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xff		255	_threshold	1	0	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		_threshold	1	0	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mul		_threshold	0	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
or		_threshold	3 (threshold)	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		3 (threshold)	_threshold	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sstore	threshold = _threshold	_threshold	0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		0	i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		i	currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		currentOwner	_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		_threshold	_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		_owners_mem_ptr	tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		tag_101	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jump // out		mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_104:		mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x1		1==SENTINEL_MODULES	0	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	SENTINEL_MODULES	0	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		SENTINEL_MODULES	0	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	SENTINEL_MODULES	0	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		SENTINEL_MODULES	0	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		0	SENTINEL_MODULES	0	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mstore	[0]=SENTINEL_MODULES	0	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	0	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		32	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		0	32	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		32	0	32	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mstore	[32]=0 (modules)	32	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	32	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		64	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	64	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
keccak256		SHA3(SENTINEL_MODULES,0) == &modules[SENTINEL_MODULES]	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	&modules[SENTINEL_MODULES]	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		&modules[SENTINEL_MODULES]	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sload		modules[SENTINEL_MODULES]	0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		0	modules[SENTINEL_MODULES]	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x100		256	0	modules[SENTINEL_MODULES]	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
exp		256^0 == 1	modules[SENTINEL_MODULES]	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		modules[SENTINEL_MODULES]	1	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
div		modules[SENTINEL_MODULES]	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	modules[SENTINEL_MODULES]	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		modules[SENTINEL_MODULES]	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	modules[SENTINEL_MODULES]	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		modules[SENTINEL_MODULES]	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
eq		modules[SENTINEL_MODULES] == 0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		modules[SENTINEL_MODULES] != 0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		modules[SENTINEL_MODULES] == 0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_169		tag_169	modules[SENTINEL_MODULES] == 0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
revert		
tag_169:		mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x1		1==SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x1		1==SENTINEL_MODULES	0	0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	SENTINEL_MODULES	0	0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		SENTINEL_MODULES	0	0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	SENTINEL_MODULES	0	0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		SENTINEL_MODULES	0	0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		0	SENTINEL_MODULES	0	0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mstore	[0]=SENTINEL_MODULES	0	0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	0	0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		32	0	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		0	32	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		32	0	32	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mstore	[32]=0 (modules)	32	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	32	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		64	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	64	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
keccak256		SHA3(SENTINEL_MODULES,0) == &modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x100		256	0	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
exp		256^0 == 1	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		&modules[SENTINEL_MODULES]	1	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sload		modules[SENTINEL_MODULES]	1	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup2		1	modules[SENTINEL_MODULES]	1	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	1	modules[SENTINEL_MODULES]	1	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mul		2^160-1	modules[SENTINEL_MODULES]	1	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
not		not(2^160-1)	modules[SENTINEL_MODULES]	1	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		0	1	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		1	0	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup4		SENTINEL_MODULES	1	0	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	SENTINEL_MODULES	1	0	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		SENTINEL_MODULES	1	0	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mul		SENTINEL_MODULES	0	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
or		SENTINEL_MODULES	&modules[SENTINEL_MODULES]	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		&modules[SENTINEL_MODULES]	SENTINEL_MODULES	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
sstore	modules[SENTINEL_MODULES]=SENTINEL_MODULES	SENTINEL_MODULES	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup3		to	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	to	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
and		to	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
eq		to==0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		to!=0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		to==0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_170		tag_170	to==0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_171		tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup3		to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup3		mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
gas		Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_153		tag_153	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jump // in (executeDelegateCall)		Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_171: (return from executeDelegateCall)		Success	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		Success == 0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
iszero		Success != 0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_172		tag_172	Success != 0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jumpi		mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
revert		
tag_172:		mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_170:		mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jump // out		mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
tag_153: (executeDelegateCall)		Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup1		0	0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x0		0	0	0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup5		mem_ptr_data	0	0	0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
mload		data.length	0	0	0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
0x20		32	data.length	0	0	0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup7		mem_ptr_data	32	data.length	0	0	0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
add		&data	data.length	0	0	0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup8		to	&data	data.length	0	0	0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
dup7		Gas left	to	&data	data.length	0	0	0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
delegatecall		Success	0	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap1		0	Success	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		Success	Gas left	mem_ptr_data	to	tag_171	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap4		tag_171	Gas left	mem_ptr_data	to	Success	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
swap3		to	Gas left	mem_ptr_data	tag_171	Success	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		Gas left	mem_ptr_data	tag_171	Success	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		mem_ptr_data	tag_171	Success	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
pop		tag_171	Success	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39
jump // out		Success	mem_ptr_data	to	tag_103	mem_ptr_data	to	_threshold	_owners_mem_ptr	tag_39

GnosisSafeTeamEdition:: approveTransactionWithParameters

		STACK[0]	STACK[1]	STACK[2]	STACK[3]	STACK[4]	STACK[5]	STACK[6]	STACK[7]	STACK[8]	STACK[9]						
tag_2:																	
callvalue		Call Value															
dup1		Call Value	Call Value														
iszero		Call Value == 0	Call Value														
tag_26		tag_26	Call Value == 0	Call Value													
jumpi		Call Value															
0x0		0	Call Value														
dup1		0	0	Call Value													
revert																	
tag_26:		Call Value															
pop																	
tag_27		tag_27															
0x4		4	tag_27														
dup1		4	4	tag_27													
calldatasize		Call Data Size	4	4	tag_27												
sub		Call Data Size - 4	4	tag_27													
dup2		4	Call Data Size - 4	4	tag_27												
add		Call Data Size	4	tag_27													
swap1		4	Call Data Size	tag_27													
dup1		4	4	Call Data Size	tag_27												
dup1		4	4	4	Call Data Size	tag_27											
calldataload		to	4	4	Call Data Size	tag_27											
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	to	4	4	Call Data Size	tag_27										
and		to	4	4	Call Data Size	tag_27											
swap1		4	to	4	Call Data Size	tag_27											
0x20		32	4	to	4	Call Data Size	tag_27										
add		36	to	4	Call Data Size	tag_27											
swap1		to	36	4	Call Data Size	tag_27											
swap3		Call Data Size	36	4	to	tag_27											
swap2		4	36	Call Data Size	to	tag_27											
swap1		36	4	Call Data Size	to	tag_27											
dup1		36	36	4	Call Data Size	to	tag_27										
calldataload		value	36	4	Call Data Size	to	tag_27										
swap1		36	value	4	Call Data Size	to	tag_27										
0x20		32	36	value	4	Call Data Size	to	tag_27									
add		68	value	4	Call Data Size	to	tag_27										
swap1		value	68	4	Call Data Size	to	tag_27										
swap3		Call Data Size	68	4	value	to	tag_27										
swap2		4	68	Call Data Size	value	to	tag_27										
swap1		68	4	Call Data Size	value	to	tag_27										
dup1		68	68	4	Call Data Size	value	to	tag_27									
calldataload		data.offset	68	4	Call Data Size	value	to	tag_27									
swap1		68	data.offset	4	Call Data Size	value	to	tag_27									
0x20		32	68	data.offset	4	Call Data Size	value	to	tag_27								
add		100	data.offset	4	Call Data Size	value	to	tag_27									
swap1		data.offset	100	4	Call Data Size	value	to	tag_27									
dup3		4	data.offset	100	4	Call Data Size	value	to	tag_27								
add		data.offset+4	100	4	Call Data Size	value	to	tag_27									
dup1		data.offset+4	data.offset+4	100	4	Call Data Size	value	to	tag_27								
calldataload		data.length	data.offset+4	100	4	Call Data Size	value	to	tag_27								
swap1		data.offset+4	data.length	100	4	Call Data Size	value	to	tag_27								
0x20		32	data.offset+4	data.length	100	4	Call Data Size	value	to	tag_27							
add		&data	data.length	100	4	Call Data Size	value	to	tag_27								
swap1		data.length	&data	100	4	Call Data Size	value	to	tag_27								
dup1		data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27							
dup1		data.length	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27						
0x1f		31	data.length	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27					
add		data.length+31	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27						
0x20		32	data.length+31	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27					
dup1		32	32	data.length+31	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27				
swap2		data.length+31	32	32	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27				
div		Whole 32-byte words in data.length	32	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27					
mul		data.length padded to 32 byte	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27						
0x20		32	data.length padded to 32 bytes	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27					
add		32+data.length padded to 32 bytes	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27						
mload(0x40)		free_mem_ptr	32+data.length padded to 32 bytes	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27					
swap1		32+data.length padded to 32 bytes	free_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27					
dup2		free_mem_ptr	32+data.length padded to 32 bytes	free_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27				
add		mem_ptr_beyond_data	free_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27					
0x40		64	mem_ptr_beyond_data	free_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27				
mstore	[64]=mem_ptr_beyond_data	data_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27						
dup1		data_mem_ptr	data_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_27					
swap4		&data	data_mem_ptr	data.length	data.length	data_mem_ptr	100	4	Call Data Size	value	to	tag_27					
swap3		data.length	data_mem_ptr	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27					
swap2		data.length	data_mem_ptr	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27					
swap1		data_mem_ptr	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27					
dup2		data.length	data_mem_ptr	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27				
dup2		data_mem_ptr	data.length	data_mem_ptr	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27			
mstore	[data_mem_ptr]=data.length	data_mem_ptr	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27					
0x20		32	data_mem_ptr	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27				
add		data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27					
dup4		&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27				
dup4		data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27			
dup1		data.length	data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27		
dup3		&data	data.length	data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27	
dup5		data_mem_ptr+32	&data	data.length	data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27
calldatacopy	[data_mem_ptr+32]=data	data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27			
dup3		data_mem_ptr+32	data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27		
add		data_mem_ptr+32+data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27			
swap2		data_mem_ptr+32	&data	data_mem_ptr+32+data.length	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27			
pop		&data	data_mem_ptr+32+data.length	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27				
pop		data_mem_ptr+32+data.length	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27					
pop		data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27						
pop		data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27							
pop		&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_27								
pop		data_mem_ptr	100	4	Call Data Size	value	to	tag_27									
swap2		4	100	data_mem_ptr	Call Data Size	value	to	tag_27									
swap3		Call Data Size	100	data_mem_ptr	4	value	to	tag_27									
swap2		data_mem_ptr	100	Call Data Size	4	value	to	tag_27									
swap3		4	100	Call Data Size	data_mem_ptr	value	to	tag_27									
swap1		100	4	Call Data Size	data_mem_ptr	value	to	tag_27									
dup1		100	100	4	Call Data Size	data_mem_ptr	value	to	tag_27								
calldataload		operation	100	4	Call Data Size	data_mem_ptr	value	to	tag_27								
0xff		255	operation	100	4	Call Data Size	data_mem_ptr	value	to	tag_27							
and		operation	100	4	Call Data Size	data_mem_ptr	value	to	tag_27								
swap1		100	operation	4	Call Data Size	data_mem_ptr	value	to	tag_27								
0x20		32	100	operation	4	Call Data Size	data_mem_ptr	value	to	tag_27	tag_27						
add		132	operation	4	Call Data Size	data_mem_ptr	value	to	tag_27	tag_27							
swap1		operation	132	4	Call Data Size	data_mem_ptr	value	to	tag_27	tag_27							
swap3		Call Data Size	132	4	operation	data_mem_ptr	value	to	tag_27								
swap2		4	132	Call Data Size	operation	data_mem_ptr	value	to	tag_27								
swap1		132	4	Call Data Size	operation	data_mem_ptr	value	to	tag_27								
dup1		132	132	4	Call Data Size	operation	data_mem_ptr	value	to	tag_27							
calldataload		nonce	132	4	Call Data Size	operation	data_mem_ptr	value	to	tag_27							
swap1		132	nonce	4	Call Data Size	operation	data_mem_ptr	value	to	tag_27							
0x20		32	132	nonce	4	Call Data Size	operation	data_mem_ptr	value	to	tag_27						
add		164	nonce	4	Call Data Size	operation	data_mem_ptr	value	to	tag_27							
swap1		nonce	164	4	Call Data Size	operation	data_mem_ptr	value	to	tag_27							
swap3		Call Data Size	164	4	nonce	operation	data_mem_ptr	value	to	tag_27							
swap2		4	164	Call Data Size	nonce	operation	data_mem_ptr	value	to	tag_27							
swap1		164	4	Call Data Size	nonce	operation	data_mem_ptr	value	to	tag_27							
pop		4	Call Data Size	nonce	operation	data_mem_ptr	value	to	tag_27								
pop		Call Data Size	nonce	operation	data_mem_ptr	value	to	tag_27									
pop		nonce	operation	data_mem_ptr	value	to	tag_27										
jump(tag_28)		nonce	operation	data_mem_ptr	value	to	tag_27										
tag_28:		nonce	operation	data_mem_ptr	value	to	tag_27										
0x0		0	nonce	operation	data_mem_ptr	value	to	tag_27									
dup1		0	0	nonce	operation	data_mem_ptr	value	to	tag_27								
0x2		2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27							
0x0		0	2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27						
caller		msg.sender	0	2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27					
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	msg.sender	0	2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27				
and		msg.sender	0	2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27					
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	msg.sender	0	2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27				
and		msg.sender	0	2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27					
dup2		0	msg.sender	0	2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27				
mstore	[0]=msg.sender	0	2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27						
0x20		32	0	2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27					
add		32	2 (owners)	0	0	nonce	operation	data_mem_ptr	value	to	tag_27						
swap1		2 (owners)	32	0	0	nonce	operation	data_mem_ptr	value	to	tag_27						
dup2		32	2 (owners)	32	0	0	nonce	operation	data_mem_ptr	value	to	tag_27					
mstore	[32]=2(owners)	32	0	0	nonce	operation	data_mem_ptr	value	to	tag_27							
0x20		32	32	0	0	nonce	operation	data_mem_ptr	value	to	tag_27						
add		64	0	0	nonce	operation	data_mem_ptr	value	to	tag_27							
0x0		0	64	0	0	nonce	operation	data_mem_ptr	value	to	tag_27						
keccak256		SHA(msg.sender; 2)==&owners[msg.sender]	0	0	nonce	operation	data_mem_ptr	value	to	tag_27							
0x0		0	&owners[msg.sender]	0	0	nonce	operation	data_mem_ptr	value	to	tag_27						
swap1		&owners[msg.sender]	0	0	0	nonce	operation	data_mem_ptr	value	to	tag_27						
sload		owners[msg.sender]	0	0	0	nonce	operation	data_mem_ptr	value	to	tag_27						
swap1		0	owners[msg.sender]	0	0	nonce	operation	data_mem_ptr	value	to	tag_27						

GnosisSafeTeamEdition::execTransactionIfApproved

		STACK[0]	STACK[1]	STACK[2]	STACK[3]	STACK[4]	STACK[5]	STACK[6]	STACK[7]										
tag_3:	
callvalue		Call Value
dup1		Call Value	Call Value
iszero		Call Value == 0	Call Value
tag_29		tag_29	Call Value == 0	Call Value
jumpi		Call Value
0x0		0	Call Value
dup1		0	0	Call Value
revert	
tag_29:		Call Value
pop	
tag_27		tag_30
0x4		4	tag_30
dup1		4	4	tag_30
calldatasize		Call Data Size	4	4	tag_30
sub		Call Data Size - 4	4	tag_30
dup2		4	Call Data Size - 4	4	tag_30
add		Call Data Size	4	tag_30
swap1		4	Call Data Size	tag_30
dup1		4	4	Call Data Size	tag_30
dup1		4	4	4	Call Data Size	tag_30
calldataload		to	4	4	Call Data Size	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	to	4	4	Call Data Size	tag_30
and		to	4	4	Call Data Size	tag_30
swap1		4	to	4	Call Data Size	tag_30
0x20		32	4	to	4	Call Data Size	tag_30
add		36	to	4	Call Data Size	tag_30
swap1		to	36	4	Call Data Size	tag_30
swap3		Call Data Size	36	4	to	tag_30
swap2		4	36	Call Data Size	to	tag_30
swap1		36	4	Call Data Size	to	tag_30
dup1		36	36	4	Call Data Size	to	tag_30
calldataload		value	36	4	Call Data Size	to	tag_30
swap1		36	value	4	Call Data Size	to	tag_30
0x20		32	36	value	4	Call Data Size	to	tag_30
add		68	value	4	Call Data Size	to	tag_30
swap1		value	68	4	Call Data Size	to	tag_30
swap3		Call Data Size	68	4	value	to	tag_30
swap2		4	68	Call Data Size	value	to	tag_30
swap1		68	4	Call Data Size	value	to	tag_30
dup1		68	68	4	Call Data Size	value	to	tag_30
calldataload		data.offset	68	4	Call Data Size	value	to	tag_30
swap1		68	data.offset	4	Call Data Size	value	to	tag_30
0x20		32	68	data.offset	4	Call Data Size	value	to	tag_30
add		100	data.offset	4	Call Data Size	value	to	tag_30
swap1		data.offset	100	4	Call Data Size	value	to	tag_30
dup3		4	data.offset	100	4	Call Data Size	value	to	tag_30
add		data.offset+4	100	4	Call Data Size	value	to	tag_30
dup1		data.offset+4	data.offset+4	100	4	Call Data Size	value	to	tag_30
calldataload		data.length	data.offset+4	100	4	Call Data Size	value	to	tag_30
swap1		data.offset+4	data.length	100	4	Call Data Size	value	to	tag_30
0x20		32	data.offset+4	data.length	100	4	Call Data Size	value	to	tag_30
add		&data	data.length	100	4	Call Data Size	value	to	tag_30
swap1		data.length	&data	100	4	Call Data Size	value	to	tag_30
dup1		data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
dup1		data.length	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
0x1f		31	data.length	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
add		data.length+31	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
0x20		32	data.length+31	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
dup1		32	32	data.length+31	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
swap2		data.length+31	32	32	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
div		Whole 32-byte words in data.length	32	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
mul		data.length padded to 32 byte	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
0x20		32	data.length padded to 32 bytes	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
add		32+data.length padded to 32 bytes	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
mload(0x40)		free_mem_ptr	32+data.length padded to 32 bytes	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
swap1		32+data.length padded to 32 bytes	free_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
dup2		free_mem_ptr	32+data.length padded to 32 bytes	free_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
add		mem_ptr_beyond_data	free_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
0x40		64	mem_ptr_beyond_data	free_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
mstore	[64]=mem_ptr_beyond_data	data_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
dup1		data_mem_ptr	data_mem_ptr	data.length	data.length	&data	100	4	Call Data Size	value	to	tag_30
swap4		&data	data_mem_ptr	data.length	data.length	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
swap3		data.length	data_mem_ptr	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
swap2		data.length	data_mem_ptr	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
swap1		data_mem_ptr	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
dup2		data.length	data_mem_ptr	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
dup2		data_mem_ptr	data.length	data_mem_ptr	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to
mstore	[data_mem_ptr]=data.length	data_mem_ptr	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
0x20		32	data_mem_ptr	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
add		data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
dup4		&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
dup4		data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to
dup1		data.length	data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value
dup3		&data	data.length	data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size
dup5		data_mem_ptr+32	&data	data.length	data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4
calldatacopy	[data_mem_ptr+32]=data	data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to
dup3		data_mem_ptr+32	data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value
add		data_mem_ptr+32+data.length	&data	data_mem_ptr+32	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to
swap2		data_mem_ptr+32	&data	data_mem_ptr+32+data.length	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to
pop		&data	data_mem_ptr+32+data.length	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
pop		data_mem_ptr+32+data.length	data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
pop		data.length	data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
pop		data.length	&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
pop		&data	data_mem_ptr	100	4	Call Data Size	value	to	tag_30
pop		data_mem_ptr	100	4	Call Data Size	value	to	tag_30
swap2		4	100	data_mem_ptr	Call Data Size	value	to	tag_30
swap3		Call Data Size	100	data_mem_ptr	4	value	to	tag_30
swap2		data_mem_ptr	100	Call Data Size	4	value	to	tag_30
swap3		4	100	Call Data Size	data_mem_ptr	value	to	tag_30
swap1		100	4	Call Data Size	data_mem_ptr	value	to	tag_30
dup1		100	100	4	Call Data Size	data_mem_ptr	value	to	tag_30
calldataload		operation	100	4	Call Data Size	data_mem_ptr	value	to	tag_30
0xff		255	operation	100	4	Call Data Size	data_mem_ptr	value	to	tag_30
and		operation	100	4	Call Data Size	data_mem_ptr	value	to	tag_30
swap1		100	operation	4	Call Data Size	data_mem_ptr	value	to	tag_30
0x20		32	100	operation	4	Call Data Size	data_mem_ptr	value	to	tag_30	tag_30
add		132	operation	4	Call Data Size	data_mem_ptr	value	to	tag_30	tag_30
swap1		operation	132	4	Call Data Size	data_mem_ptr	value	to	tag_30	tag_30
swap3		Call Data Size	132	4	operation	data_mem_ptr	value	to	tag_30
swap2		4	132	Call Data Size	operation	data_mem_ptr	value	to	tag_30
swap1		132	4	Call Data Size	operation	data_mem_ptr	value	to	tag_30
dup1		132	132	4	Call Data Size	operation	data_mem_ptr	value	to	tag_30
calldataload		nonce	132	4	Call Data Size	operation	data_mem_ptr	value	to	tag_30
swap1		132	nonce	4	Call Data Size	operation	data_mem_ptr	value	to	tag_30
0x20		32	132	nonce	4	Call Data Size	operation	data_mem_ptr	value	to	tag_30
add		164	nonce	4	Call Data Size	operation	data_mem_ptr	value	to	tag_30
swap1		nonce	164	4	Call Data Size	operation	data_mem_ptr	value	to	tag_30
swap3		Call Data Size	164	4	nonce	operation	data_mem_ptr	value	to	tag_30
swap2		4	164	Call Data Size	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		164	4	Call Data Size	nonce	operation	data_mem_ptr	value	to	tag_30
pop		4	Call Data Size	nonce	operation	data_mem_ptr	value	to	tag_30
pop		Call Data Size	nonce	operation	data_mem_ptr	value	to	tag_30
pop		nonce	operation	data_mem_ptr	value	to	tag_30
jump(tag_31)		nonce	operation	data_mem_ptr	value	to	tag_30
tag_31:		nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	nonce	operation	data_mem_ptr	value	to	tag_30
tag_111		tag_111	0	nonce	operation	data_mem_ptr	value	to	tag_30
dup7		to	tag_111	0	nonce	operation	data_mem_ptr	value	to	tag_30
dup7		value	to	tag_111	0	nonce	operation	data_mem_ptr	value	to	tag_30
dup7		data_mem_ptr	value	to	tag_111	0	nonce	operation	data_mem_ptr	value	to	tag_30
dup7		operation	data_mem_ptr	value	to	tag_111	0	nonce	operation	data_mem_ptr	value	to	tag_30
dup7		nonce	operation	data_mem_ptr	value	to	tag_111	0	nonce	operation	data_mem_ptr	value	to	tag_30
tag_34		tag_34	nonce	operation	data_mem_ptr	value	to	tag_111	0	nonce	operation	data_mem_ptr	value	to	tag_30
jump // in		nonce	operation	data_mem_ptr	value	to	tag_111	0	nonce	operation	data_mem_ptr	value	to	tag_30
tag_111:		txHash	0	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		0	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x5		5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup3		txHash	0	5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
not(0x0)		2^256-1	txHash	0	5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		txHash	0	5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
not(0x0)		2^256-1	txHash	0	5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		txHash	0	5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		0	txHash	0	5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[0]=txHash	0	5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	0	5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		32	5 (isExecuted)	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		5 (isExecuted)	32	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		32	5 (isExecuted)	32	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[32]=5 (isExecuted)	32	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	32	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		64	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	64	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
keccak256		SHA3(txHash;5) == &isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	&isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		&isExecuted[txHash]	0	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
sload		isExecuted[txHash]	0	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		0	isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x100		256	0	isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
exp		256^0==1	isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
div		isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xff		255	isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		!isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		!isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_112		tag_112	!isExecuted[txHash]	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jumpi		txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mload(0x40)	
0x8c379a000000000000000000000000000000000000000000000000000000000000	
dup2	
mstore	
0x4	
add	
dup1	
dup1	
0x20	
add	
dup3	
dup2	
sub	
dup3	
mstore	
0x21	
dup2	
mstore	
0x20	
add	
dup1	
0x53616665207472616e73616374696f6e20616c72656164792065786563757465	
dup2	
mstore	
0x20	
add	
0x6400000000000000000000000000000000000000000000000000000000000000	
dup2	
mstore	
pop	
0x40	
add	
swap2	
pop	
pop	
mload(0x40)	
dup1	
swap2	
sub	
swap1	
revert	
tag_112:		txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_113		tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_114		tag_114	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jump // in		txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_114:		txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup1		0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup1		0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x6		6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup7		txHash	0	6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
not(0x0)		2^256-1	txHash	0	6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		txHash	0	6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
not(0x0)		2^256-1	txHash	0	6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		txHash	0	6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		0	txHash	0	6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[0]=txHash	0	6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	0	6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		32	6 (isApproved)	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		6 (isApproved)	32	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2	[32]=6(isApproved)	32	6 (isApproved)	32	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore		32	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	32	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		64	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	64	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
keccak256		SHA3(txHash;6) == &isApproved[txHash]	0	0	0	0	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap4		0	0	0	0	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		0	0	0	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap3		0	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x2		2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x1		1 (SENTINEL_OWNERS)	0	2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	SENTINEL_OWNERS	0	2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		SENTINEL_OWNERS	0	2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff			SENTINEL_OWNERS	0	2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		SENTINEL_OWNERS	0	2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		0	SENTINEL_OWNERS	0	2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[0]=SENTINEL_OWNERS	0	2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	0	2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		32	2 (owners)	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		2 (owners)	32	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		32	2 (owners)	32	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[32]=2(owners)	32	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	32	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		64	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	64	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
keccak256		SHA3(SENTINEL_PWNERS;2) == &owners[SENTINEL_OWNERS]	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	&owners[SENTINEL_OWNERS]	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		&owners[SENTINEL_OWNERS]	0	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
sload		owners[SENTINEL_OWNERS]	0	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		0	owners[SENTINEL_OWNERS]	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x100		256	0	owners[SENTINEL_OWNERS]	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
exp		256^0==1	owners[SENTINEL_OWNERS]	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		owners[SENTINEL_OWNERS]	1	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
div		owners[SENTINEL_OWNERS]	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	owners[SENTINEL_OWNERS]	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		owners[SENTINEL_OWNERS]	0	0	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap2		0	0	owners[SENTINEL_OWNERS]	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		0	owners[SENTINEL_OWNERS]	confirmations = 0	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_190:		0	currentOwner = owners[SENTINEL_OWNERS]	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x1		1 (SENTINEL_OWNERS)	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	SENTINEL_OWNERS	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		SENTINEL_OWNERS	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup3		currentOwner	SENTINEL_OWNERS	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	SENTINEL_OWNERS	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		currentOwner	SENTINEL_OWNERS	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
eq		currentOwner == SENTINEL_OWNERS	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		currentOwner != SENTINEL_OWNERS	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		currentOwner == SENTINEL_OWNERS	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_191		tag_191	currentOwner == SENTINEL_OWNERS	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jumpi		0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup5		&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup5		currentOwner	0	&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	0	&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		currentOwner	0	&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	0	&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		currentOwner	0	&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		0	currentOwner	0	&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[0]=currentOwner	0	&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	0	&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		32	&isApproved[txHash]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		&isApproved[txHash]	32	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		32	&isApproved[txHash]	32	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[32]=&isApproved[txHash]	32	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	32	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		64	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	64	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
keccak256		SHA3(currentOwner;&isApproved[txHash]) == &isApproved[txHash][currentOwner]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
sload		isApproved[txHash][currentOwner]	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
eq		isApproved[txHash][currentOwner] == 0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		ownerConfirmed = isApproved[txHash][currentOwner] != 0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
caller		msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff			msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup3		currentOwner	msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		currentOwner	msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
eq		currentOwner == msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup1		currentOwner == msg.sender	currentOwner == msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_192		tag_192	currentOwner == msg.sender	currentOwner == msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jumpi		currentOwner == msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup1		ownerConfirmed	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_192:		currentOwner == msg.sender	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_192 (2nd BRANCH)		ownerConfirmed	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		!ownerConfirmed	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_193		tag_193	!ownerConfirmed	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jumpi		ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup1		ownerConfirmed	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		!ownerConfirmed	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_194		tag_194	!ownerConfirmed	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jumpi		ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup5		&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup5		currentOwner	0	&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	0	&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		currentOwner	0	&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	0	&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		currentOwner	0	&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		0	currentOwner	0	&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[0]=currentOwner	0	&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	0	&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		32	&isApproved[txHash]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		&isApproved[txHash]	32	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		32	&isApproved[txHash]	32	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[32]=&isApproved[txHash]	32	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	32	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		64	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	64	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
keccak256		SHA3(currentOwner;&isApproved[txHash]) == &isApproved[txHash][currentOwner]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		0	&isApproved[txHash][currentOwner]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		&isApproved[txHash][currentOwner]	0	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
sstore	isApproved[txHash][currentOwner]=0	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_194:		ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup3		confirmations	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup1		confirmations	confirmations	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x1		1	confirmations	confirmations	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		confirmations++	confirmations	ownerConfirmed	currentOwner	Old confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap4		Old confirmations	confirmations	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		confirmations	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_193:		ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x2		2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup4		currentOwner	0	2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	0	2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		currentOwner	0	2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	currentOwner	0	2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		currentOwner	0	2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		0	currentOwner	0	2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[0]=currentOwner	0	2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	0	2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		32	2 (owners)	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		2 (owners)	32	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		32	2 (owners)	32	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[32]=2(owners)	32	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	32	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		64	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	64	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
keccak256		SHA3(currentOwner;2) == &owners[currentOwner]	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	&owners[currentOwner]	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		&owners[currentOwner]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
sload		owners[currentOwner]	0	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		0	owners[currentOwner]	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x100		256	0	owners[currentOwner]	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
exp		256^0==1	owners[currentOwner]	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		owners[currentOwner]	1	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
div		owners[currentOwner]	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	owners[currentOwner]	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		currentOwner = owners[currentOwner]	ownerConfirmed	Old currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap2		Old currentOwner	ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jump(tag_190)		ownerConfirmed	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_191:		0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x4		4 (threshold)	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	4 (threshold)	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		4 (threshold)	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
sload		threshold	0	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		0	threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x100		256	0	threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
exp		256^0==1	threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		threshold	1	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
div		threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xff		255	threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xff		255	threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup4		confirmations	threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
lt		confirmations < threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		confirmations >= threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		confirmations < threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		confirmations >= threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_195		tag_195	confirmations >= threshold	0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jumpi		0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mload(0x40)	
0x8c379a0000000000000000000000000000000000000000000000000000000000000	
dup2	
mstore	
0x4	
add	
dup1	
dup1	
0x20	
add	
dup3	
dup2	
sub	
dup3	
mstore	
0x18	
dup2	
mstore	
0x20	
add	
dup1	
0x4e6f7420656e6f75676820636f6e6669726d6174696f6e730000000000000000	
dup2	
mstore	
pop	
0x20	
add	
swap2	
pop	
pop	
mload(0x40)	
dup1	
swap2	
sub	
swap1	
revert	
tag_195:		0	currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		currentOwner	confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		confirmations	&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		&isApproved[txHash]	txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		txHash	tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		tag_113	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jump // out		txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_113:		txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x1		1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x5		5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup4		txHash	0	5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
not(0x0)		2^256-1	txHash	0	5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		txHash	0	5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
not(0x0)		2^256-1	txHash	0	5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		txHash	0	5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		0	txHash	0	5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[0]=txHash	0	5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	0	5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		32	5 (isExecuted)	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		5 (isExecuted)	32	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		32	5 (isExecuted)	32	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mstore	[32]=5 (isExecuted)	32	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x20		32	32	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
add		64	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	64	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
keccak256		SHA3(txHash;5) == &isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x0		0	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0x100		256	0	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
exp		256^0==1	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		&isExecuted[txHash]	1	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
sload		isExecuted[txHash]	1	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup2		1	isExecuted[txHash]	1	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
0xff		255	1	isExecuted[txHash]	1	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mul		255	isExecuted[txHash]	1	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
not		0xfff..000 (clear last byte)	isExecuted[txHash]	1	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
and		0	1	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		1	0	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup4		1	1	0	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		0	1	0	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		1	1	0	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mul		1	0	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
or		1	&isExecuted[txHash]	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
swap1		&isExecuted[txHash]	1	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
sstore	isExecuted[txHash] =1	1	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_115		tag_115	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup7		to	tag_115	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup7		value	to	tag_115	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup7		data_mem_ptr	value	to	tag_115	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
dup7		operation	data_mem_ptr	value	to	tag_115	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
gas		Gas left	operation	data_mem_ptr	value	to	tag_115	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_116		tag_116	Gas left	operation	data_mem_ptr	value	to	tag_115	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jump // in		Gas left	operation	data_mem_ptr	value	to	tag_115	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_115:		Success	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		Success == 0	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
iszero		Success != 0	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
tag_117		tag_117	Success != 0	txHash	nonce	operation	data_mem_ptr	value	to	tag_30
jumpi		txHash	nonce	operation	data_mem_ptr	value	to	tag_30
mload(0x40)	
0x8c379a000000000000000000000000000000000000000000000000000000000000	
dup2	
mstore	
0x4	
add	
dup1	
dup1	
0x20	
add	
dup3	
dup2	
sub	
dup3	
mstore	
0x22	
dup2	
mstore	
0x20	
add	
dup1	
0x436f756c64206e6f7420657865637574652073616665207472616e7361637469	
dup2	
mstore	
0x20	
add	
0x6f6e000000000000000000000000000000000000000000000000000000000000	
dup2	
mstore	
pop	
0x40	
add	
swap2	
pop	
pop	
mload(0x40)	
dup1	
swap2	
sub	
swap1	
revert	
tag_117:		txHash	nonce	operation	data_mem_ptr	value	to	tag_30
pop		nonce	operation	data_mem_ptr	value	to	tag_30
pop		operation	data_mem_ptr	value	to	tag_30
pop		data_mem_ptr	value	to	tag_30
pop		value	to	tag_30
pop		to	tag_30
pop		tag_30
jump // out	

SecuredTokenTransfer::transferToken

		STACK[0]	STACK[1]	STACK[2]	STACK[3]	STACK[4]	STACK[5]	STACK[6]	STACK[7]	STACK[8]	STACK[9]				
tag_114		tag_114													
dup8		gasToken	tag_114												
origin		tx.origin	gasToken	tag_114											
dup4		amount	tx.origin	gasToken	tag_114										
tag_115		tag_115	amount	tx.origin	gasToken	tag_114									
jump // in		amount	tx.origin	gasToken	tag_114										
tag_115:		amount	tx.origin	gasToken	tag_114										
0x0		0	amount	tx.origin	gasToken	tag_114									
0x60		96	0	amount	tx.origin	gasToken	tag_114								
dup4		tx.origin	96	0	amount	tx.origin	gasToken	tag_114							
dup4		amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114						
add(0x24, mload(0x40))		free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114					
dup1		free_mem_ptr+36	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114				
dup4		tx.origin	free_mem_ptr+36	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114			
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	tx.origin	free_mem_ptr+36	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114		
and		tx.origin	free_mem_ptr+36	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114			
0xffffffffffffffffffffffffffffffffffffffff		2^160-1	tx.origin	free_mem_ptr+36	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114		
and		tx.origin	free_mem_ptr+36	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114			
dup2		free_mem_ptr+36	tx.origin	free_mem_ptr+36	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114		
mstore	[free_mem_ptr+36] =tx.origin	free_mem_ptr+36	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114				
0x20		32	free_mem_ptr+36	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114			
add		free_mem_ptr+68	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114				
dup3		amount	free_mem_ptr+68	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114			
dup2		free_mem_ptr+68	amount	free_mem_ptr+68	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114		
mstore	[free_mem_ptr+68] =amount	free_mem_ptr+68	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114				
0x20		32	free_mem_ptr+68	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114			
add		free_mem_ptr+100	free_mem_ptr+36	amount	tx.origin	96	0	amount	tx.origin	gasToken	tag_114				
swap3		tx.origin	free_mem_ptr+36	amount	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114				
pop		free_mem_ptr+36	amount	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114					
pop		amount	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114						
pop		free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114							
mload(0x40)		free_mem_ptr	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114						
0x20		32	free_mem_ptr	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114					
dup2		free_mem_ptr	32	free_mem_ptr	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114				
dup4		free_mem_ptr+100	free_mem_ptr	32	free_mem_ptr	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114			
sub		100	32	free_mem_ptr	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114				
sub		68	free_mem_ptr	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114					
dup2		free_mem_ptr	68	free_mem_ptr	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114				
mstore	[free_mem_ptr]=68	free_mem_ptr	free_mem_ptr+100	96	0	amount	tx.origin	gasToken	tag_114						
swap1		free_mem_ptr+100	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114						
0x40		64	free_mem_ptr+100	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114					
mstore	[64]=free_mem_ptr +100	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114							
and(not(0xffffffffffffffffffffffffffffffffffffffffffffffffffffff), 0xa9059cbb00000000000000000000000000000000000000000000000000000000)		signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114						
0x20		32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114					
dup3		free_mem_ptr	32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114				
add		free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114					
dup1		free_mem_ptr+32	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114				
mload		tx.origin as low 28 bytes	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114				
0xffffffffffffffffffffffffffffffffffffffffffffffffffffffff		2^224-1	tx.origin as low 28 bytes	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114			
dup4		signature of “transfer” as high 4 bytes	2^224-1	tx.origin as low 28 bytes	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114		
dup2		2^224-1	signature of “transfer” as high 4 bytes	2^224-1	tx.origin as low 28 bytes	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114	
dup4		tx.origin as low 28 bytes	2^224-1	signature of “transfer” as high 4 bytes	2^224-1	tx.origin as low 28 bytes	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114
and		tx.origin as low 28 bytes	signature of “transfer” as high 4 bytes	2^224-1	tx.origin as low 28 bytes	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114	
or		signature of “transfer” as high 4 bytes | tx.origin as low 28 bytes	2^224-1	tx.origin as low 28 bytes	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114		
dup4		free_mem_ptr+32	signature of “transfer” as high 4 bytes | tx.origin as low 28 bytes	2^224-1	tx.origin as low 28 bytes	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114	
mstore	[free_mem_ptr+32] =signature of “transfer” as high 4 bytes	2^224-1	tx.origin as low 28 bytes	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114			
pop		tx.origin as low 28 bytes	free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114				
pop		free_mem_ptr+32	signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114					
pop		signature of “transfer” as high 4 bytes	free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114						
pop		free_mem_ptr	96	0	amount	tx.origin	gasToken	tag_114							
swap1		96	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114							
pop		free_mem_ptr	0	amount	tx.origin	gasToken	tag_114								
0x0		0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114							
dup1		0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114						
dup3		free_mem_ptr	0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114					
mload		68	0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114					
0x20		32	68	0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
dup5		free_mem_ptr	32	68	0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114			
add		free_mem_ptr+32	68	0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
0x0		0	free_mem_ptr+32	68	0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114			
dup10		gasToken	0	free_mem_ptr+32	68	0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114		
0x2710		10000	gasToken	0	free_mem_ptr+32	68	0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114	
gas		Gas left	10000	gasToken	0	free_mem_ptr+32	68	0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114
sub		Gas left - 10000	gasToken	0	free_mem_ptr+32	68	0	0	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114	
call		Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114							
0x40		64	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114						
mload		free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114						
returndatasize		Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114					
0x0		0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
dup3		free_mem_ptr	0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114			
returndatacopy	[free_mem_ptr]=return data	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114						
returndatasize		Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114					
0x0		0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
dup2		Return data size	0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114			
eq		Return data size==0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
tag_228		tag_228	Return data size==0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114			
jumpi		Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114					
0x20		32	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
dup2		Return data size	32	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114			
eq		Return data size==32	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
tag_229		tag_229	Return data size==32	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114			
jumpi		Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114					
0x0		0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
swap5		0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
pop		Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114					
jump(tag_227)															
tag_228:		Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114					
dup3		Success	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
swap5		0	Return data size	free_mem_ptr	Success	free_mem_ptr	Success	amount	tx.origin	gasToken	tag_114				
pop		Return data size	free_mem_ptr	Success	free_mem_ptr	Success	amount	tx.origin	gasToken	tag_114					
jump(tag_227)		Return data size	free_mem_ptr	Success	free_mem_ptr	Success	amount	tx.origin	gasToken	tag_114					
tag_229:		Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114					
dup2		free_mem_ptr	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
mload		transfer result	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
iszero		transfer result == 0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
dup4		Success	transfer result == 0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114			
iszero		Success == 0	transfer result == 0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114			
or		Success == 0 || transfer result == 0	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
iszero		!(success == 0 || tranfer result == 0)	Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114				
`swap5`		0	Return data size	free_mem_ptr	Success	free_mem_ptr	!(success == 0 || tranfer result == 0)	amount	tx.origin	gasToken	tag_114				
`pop`		Return data size	free_mem_ptr	Success	free_mem_ptr	!(success == 0 || tranfer result == 0)	amount	tx.origin	gasToken	tag_114					
`tag_227:`		Return data size	free_mem_ptr	Success	free_mem_ptr	Success	amount	tx.origin	gasToken	tag_114					
`tag_227: (SECOND BRANCH)`		Return data size	free_mem_ptr	Success	free_mem_ptr	!(success == 0 || tranfer result == 0)	amount	tx.origin	gasToken	tag_114					
`tag_227 (THIRD BRANCH)`		Return data size	free_mem_ptr	Success	free_mem_ptr	0	amount	tx.origin	gasToken	tag_114					
`pop`															
`pop`															
`pop`															
`pop`															
`swap4`		transferred	amount	tx.origin	gasToken	tag_114									
`swap3`		gasToken	amount	tx.origin	transferred	tag_114									
`pop`															
`pop`															
`pop`		transferred	tag_114												
`jump // out`		transferred	tag_114												